



3rd Practical Assignment in Artificial Intelligence (SS 2005)

Issued: June 13, 2005

Due: June 27 2005

- Please submit your solution by sending an email to your tutor. The e-mail address of your tutor can be found on the webpage.
- Indicate the name and matriculation number of each student working in your project.
- Please comment your code!

Knowledge representation has been developed from traditional approaches like semantic nets and frames. The KL-ONE model presented in the lecture bases on these approaches. In the third practical assignment you will learn an additional terminological knowledge representation tool—the KRIS system. KRIS has been developed in the working group of Prof. Siekmann at DFKI. You can find more information about this system on the tacos homepage <http://www.dfki.uni-sb.de/~tacos>.

The KRIS system

The KRIS system allows to formulate knowledge and to deduce represented knowledge. In the following, we give a short introduction to this system using examples that base on relationships between persons in a family.

For the formulation of knowledge, the KRIS system distinguishes between conceptual knowledge and object knowledge. Conceptual knowledge is expressed in terminological components like *concept*, *role* and *attribute*. These components are called *TBox*. Knowledge about special facts (knowledge about objects) is expressed as assertional component. These components are called *ABox*.

Using the formulised knowledge, conclusions can be drawn by asking the KRIS system. Typical questions are:

- how is a concept defined?
- does a concept subsume an other concept?
- are two concepts disjoint?

TBox-File

In a TBox, all necessary and relevant concepts of the domain which should be illustrated are defined. Therefore, we define *concepts* and *roles*

In our domain, we define PERSON as concept. As this concept is not specified furthermore in detail, we introduce this concept as primitive.

```
(defprimconcept PERSON)
```

To distinguish between the different sexes, we introduce this concept and define that no PERSON can be male and female.

```
(defprimconcept MALE)
(defprimconcept FEMALE)
(disjoint MALE FEMALE)
```

As we would like to examine whether PERSON is still alive or already dead, we introduce both as disjoint concepts.

```
(defprimconcept DEAD)
(defprimconcept ALIVE)
(disjoint DEAD ALIVE)
```

Using these primitive concepts, we can define complex concepts like MAN who is a PERSON and MALE or WOMAN who is a PERSON and FEMALE.

```
(defconcept MAN (and PERSON MALE))
(defconcept WOMAN (and PERSON FEMALE))
```

As primitive relation we choose IS-CHILD-OF and IS-HUSBAND-OF. These are formulated as roles.

```
(defprimrole Is-Child-Of)
(defprimrole Is-Husband-Of)
```

Using the relations, we can define the concepts FATHER, MOTHER, PARENT, WIFE or WIDOW. For instance, a PERSON is a FATHER if the person is a MALE and has some children. The definition of complex concepts like FATHER-TWO-TO-FOUR is also possible as we can see in the following example.

```
(defconcept FATHER (and MAN (some Is-Child-Of PERSON)))
(defconcept MOTHER (and WOMAN (some Is-Child-Of PERSON)))
(defconcept PARENT (some Is-Child-Of PERSON))
(defconcept WIFE (and WOMAN (some Is-Husband-Of PERSON)))
(defconcept WIDOW (and WOMAN (some Is-Husband-Of DEAD)))
(defconcept FATHER-TWO-TO-FOUR (and FATHER
    (atleast 2 Is-Child-Of)
    (atmost 4 Is-Child-Of)))
```

ABox-File

The knowledge about concrete facts is specified in a ABox. Therefore *assertions* are specified. As example, we define the following scenario:

```

(assertion Alfred MAN)
(assertion Alfred DEAD)
(assertion Berta WOMAN)
(assertion Berta Alfred Is-Husband-Of)
(assertion Christa WIDOW)
(assertion Berta Christa Is-Child-Of)
(assertion Alfred Christa Is-Child-Of)
(assertion Donald PERSON)
(assertion Donald FATHER-TWO-TO-FOUR)
(assertion Christa Donald Is-Child-Of)
(assertion Emil Christa Is-Husband-Of)
(assertion Frida Woman)
(assertion Christa Frida Is-Child-Of)
(assertion Grete PERSON)
(assertion Hans MAN)
(assertion Frida Hans Is-Husband-Of)

```

Inference

How conclusions can be drawn using the formulated knowledge is shown in the following example.

For this exercise, you should use Allegro Lisp. It can be found on `/home/stud/kiss/bin/acl`

```

> (load "/home/stud/kiss/kris/Kris/load-kris.lsp")
...
#P"/home/stud/kiss/kris/Kris/load-kris.lsp"
> (load-tkb "/home/stud/kiss/kris/Kris/sample")
Loading TBox 'sample.tbox'
;;; Warning: File "sample.tbox" does not begin with IN-PACKAGE.
;;; Loading into package "COMMON-LISP-USER"
#<tkb home/stud/kiss/kris/Kris/sample.tbox>
> (classify-tkb)
T

```

Now, you have loaded and classified KRIS and the TBox "sample.tbox". Now you can ask questions about the conceptual formulated knowledge.

```

; Ask for a description about the definition of Is-Child-Of and FATHER
> (description 'Is-Child-Of)
(IS-CHILD-OF)
> (description 'FATHER)
(AND MAN (SOME IS-CHILD-OF PERSON))
; Ask for all concepts that subsume FATHER
> (all-supers 'FATHER)
c[*TOP*] c[PERSON] c[MALE] c[MAN] c[PARENT])
; Importantly, PARENT appears although these concepts were independently defined.
; Ask for all concepts that subsume FATHER
> (all-subsumes 'FATHER)
(c[*BOTTOM*] c[FATHER-TWO-TO-FOUR])
; Ask for concepts that do not directly subsume FATHER and are directly subsumed respectively
> (direct-supers 'FATHER)
(c[PARENT] c[MAN])

```

```

> (direct-subs 'FATHER)
(c[FATHER-TWO-TO-FOUR])
; Ask whether FATHER subsumes MAN
> (subsumes 'FATHER 'MAN)
NIL
; Ask whether MAN subsumes FATHER
> (subsumes 'MAN 'FATHER)
T
; Ask whether MAN and WOMAN are disjoint concepts
> (disjoint-concepts 'MAN 'WOMAN)
T
Ask whether two concepts are equivalent
> (equivalent-concepts '(and MAN (some Is-Child-Of PERSON))
                        '(and MAN PARENT))
T

; Load the ABox
> (load-akb "~kiss/kris/Kris/sample")
loading abox 'sample.abox'
;;; Warning: File "sample.abox" does not begin with IN-PACKAGE.
;;; Loading into package "COMMON-LISP-USER"
#<akb /home/stud/kiss/kris/Kris/sample.abox>
; check of consistency
> (consistent-akb)
T
; Compute for each object the specific concept.
> (realize-akb :output-mode :name)
Realizing object HANS
...
Realizing object ALFRED
T
((ALFRED (c[DEAD] c[FATHER])) (BERTA (c[WIDOW] c[WIFE] c[MOTHER]))
(CHRISTA (c[WIDOW] c[MOTHER])) (DONALD (c[FATHER-TWO-TO-FOUR]))
(EMIL (c[*TOP*])) (FRIDA (c[WIFE])) (GRETE (c[PERSON])) (HANS (c[MAN])))
; Ask whether an object belongs to a concept
> (is-instance-of 'GRETE 'PERSON)
T
> (is-instance-of 'GRETE 'WOMAN)
NIL
> (is-instance-of 'EMIL 'DEAD)
NIL
; Compute all concepts where Christa belongs
> (individual-concepts 'Christa)
(c[PARENT] c[WOMAN] c[FEMALE] c[PERSON] c[*TOP*] c[MOTHER] c[WIDOW])
; Evaluate all specific concepts that belong to Christa
> (most-specific-concepts 'Christa)
(c[WIDOW] c[MOTHER])

```

1. Extend the TBox “sample.tbox” using definitions of the concepts GRANDFATHER, GRANDMOTHER, GRANDPARENT, BROTHER, SISTER. Draw the subsumption hierarchy.
2. Extend the ABox with the persons IDA and JUERGEN so that for each of these concepts there exists an instance.
3. Explain why KRIS answers with NIL and not T asking the question `is-instance-of 'GRETE 'WOMAN`.
4. Explain why KRIS answers with NIL asking the question `is-instance-of 'EMIL 'DEAD` although Emil is married with Christa and Christa is a widow.

Exercise P3.2:


30 P

Define for the following facts a TBox.
 A human is creature. Scientists are humans. Humans have jobs. Technical jobs are also jobs. Computer science is a technical job. A technician is a human who practises a technical job. A computer scientist is human who practises computer science as job.
 A technical computer scientist is a technician that practises computer science. Evaluate the relationship between a technician, technical computer scientist and computer scientist using the KRIS system.

Exercise P3.3:

30 P

Define a TBox for the semantic net illustrated in the following figure.



Extend the TBox with the concepts HUMAN, NOSE, and the role `has-nose` and formulate the following questions:

- Have elephants four legs?
- Are humans and elephants disjoint?
- Do elephants exist that have more than one proboscis?
- Do humans exist that are noses?